



# Catalogue

LMVP10

## Vacuum Pump



**13** MONTHS  
Guarantee

2024-25

**LMVP10**

CATALOGUE 2024-25



### SALIENT FEATURES

- ✦ Electromagnetic motor and a diaphragm sealed chamber to ensure one-way gas flow with high vacuum degree
- ✦ Non oil pump design, relative isolation of gas circulation in the chamber
- ✦ No pollution, safe and explosion-proof

**Applications:** It can be used with corresponding equipment for aerator, nitrogen blowing instrument, solid phase extractor, thin-layer color spray, solvent filter, atmospheric sampler and other vacuum or positive pressure requirements.

### Vacuum Pump LMVP10


HSN Code : 84141090



E - Catalogue

<b>SPECIFICATIONS</b>	<b>MODEL</b>	<b>LMVP10</b>
	Make	LABMAN
	Rate of flow	11L/min
	Vacuum degree	≥ 0.075Mpa
	Diaphragm sealed chamber	Yes
	Operating Temperature	10°C ~ 40°C
	Power Wattage	55W
	Power supply	AC 220V / 50Hz
	Dimension (LxWxH)	300 x 220 x 275mm
	Weight	3.8 kg

★ Specifications are subject to change without notice.



**STANDARD ACCESSORIES :** Main Instrument, Connecting Tube, Power Cord, Instruction Manual, Test Certificate.

# LABMAN PRODUCTS

Laboratory & Scientific Instruments



				
<b>Total Organic Carbon Analyzer</b>	<b>Microwave Digestion System</b>	<b>COD Analyzer with Digester</b>	<b>BOD Analyzer with CFR</b>	<b>Bio Chemistry Analyzer</b>
				
<b>Touch Screen Digital Polarimeter with CFR</b>	<b>Touch Screen Digital Refractometer with CFR</b>	<b>Touch Screen ABBE Refractometer</b>	<b>Double / Single Beam UV-Vis.Spectrophotometer</b>	<b>Double Beam UV-Vis.Spectrophotometer</b>
				
<b>Single Beam UV-Vis.Spectrophotometer</b>	<b>Visible Spectrophotometer</b>	<b>Peltier / Sipper System</b>	<b>Gradient Thermal Cycler PCR</b>	<b>Visual Colorimeter</b>
				
<b>Ice Flaker - Touchscreen</b>	<b>Refrigerated Circulating Bath</b>	<b>Refrigerated Circulating Bath</b>	<b>Industrial Ultrasonic Cleaner</b>	<b>Degas - Function Ultrasonic Cleaner</b>
				
<b>Probe Sonicator with Remote</b>	<b>Ceramic Hotplate Magnetic Stirrer</b>	<b>Hotplate Magnetic Stirrer</b>	<b>Digital Viscometer</b>	<b>Low Viscosity Adaptor</b>
				
<b>Dry Bath Incubator</b>	<b>Vortex Mixer</b>	<b>Digital Water Bath</b>	<b>pH meter with Printer</b>	<b>pH/Cond./Multipara./Ion/DO Meter 2mm to 25mm</b>
				
<b>Turbidity Meter</b>	<b>Online pH/Conductivity Controller</b>	<b>Nitrate / Fluoride - ISE</b>	<b>Conductivity Cell</b>	<b>Probe for Probe Sonicator</b>